

# SIDING PRODUCT DIRECTORY

*Products*

## VINYL AND METAL

S e p t e m b e r 2 0 1 7  
(digital version only)



Siding • Soffit • Accessories



**GENTEK**®

# GENTEK VINYL SIDING COLOR COLLECTION

Incorporating advanced manufacturing technologies and exciting new color formulations, our extensive color palette ensures exceptional results...design inspired and architecturally beautiful.

## CLASSIC COLORS



## DESIGNER COLORS



## VARIEGATED COLORS



## INSULATED VINYL SIDING

4 SEQUOIA SELECT ENFUSION

## VINYL SIDING

- 5 SEQUOIA SELECT
- 6 SEQUOIA SELECT BOARD & BATTEN
- 7 SEQUOIA SELECT VARIEGATED
- 8 SEQUOIA SELECT EXTENDED LENGTH
- 9-10 SIGNATURE SUPREME
- 11 BERKSHIRE BEADED
- 12 CENTENNIAL BEADED
- 13-14 CONCORD
- 15 AURORA II

## SHAKES & SCALLOPS

16-17 FAIRHAVEN SOUND SINGLE SELECT

## VINYL SOFFIT & ACCESSORIES

- 18 SEQUOIA SELECT Ultra-Premium Soffit
- 19 OXFORD Premium Soffit
- 20 BEADED Premium Soffit
- 21 FAIRWEATHER Soffit
- 22-23 Deep-Pocket Insulated Vinyl Accessories
- 24-33 Vinyl Accessories

## ALUMINUM SIDING

- 34 CEDARWOOD
- 35 WOODGRAIN SERIES 2000
- 36 DELUXE

## ALUMINUM SOFFIT, FASCIA & ACCESSORIES

- 37-38 HI-TENSILE Soffit – Poly Finish
- 39 DELUXE Fascia
- 40-42 Aluminum Accessories

## STEEL SIDING

- 43 STEELTEK SUPREME
- 44 STEELTEK
- 45 STEELSIDE
- 46 DRIFTWOOD
- 47 UNIVERSAL

## STEEL FASCIA & ACCESSORIES

- 48 Steel Fascia
- 49-52 Steel Accessories

## SEAMLESS STEEL COIL

- 53 SteelTek Supreme with Kynar PVDF

## TRIM COIL

- 54 Steel Trim Coil
- 55-57 Aluminum Trim Coil

## GUTTER COIL

- 58-59 Aluminum Gutter Coil

## COLOR MATRIX

- 60-61 Vinyl Siding
- 62-63 Shakes & Scallops
- 62-63 Vinyl Soffit
- 64-65 Deep-Pocket Insulated Vinyl Accessories
- 66-67 Vinyl Accessories
- 68-69 Aluminum Siding, Soffit & Fascia
- 70-71 Aluminum Accessories
- 72-73 Steel Siding & Fascia
- 74-75 Steel Accessories
- 74-75 Seamless Steel Coil
- 76-77 Aluminum & Steel Trim Coil
- 78-79 Trim Coil – Competitive Brands
- 80-81 Gutter Coil


## ARCHITECTURAL SPECIFICATIONS

- 82-83 Vinyl Architectural Specifications
- 84-85 Shakes & Scallops Architectural Specifications
- 86-87 Aluminum Architectural Specifications
- 88-89 Steel Architectural Specifications

**Not all products are available in all markets.**

**PRODUCT CODE & DESCRIPTION**


**13570**  
**Double 5"**  
**Dutch Lap**



3/4" Butt (19)  
 Panel Projection 1-1/4" with foam  
 2-5" Exposure per Panel (127/254)  
 16'4" Lengths (4979)  
 .046" Nominal Thickness  
 Cedargrain Texture

Packaging:  
 7 pcs. per ctn.  
 .95 sq. per ctn. (8.84 m<sup>2</sup>)  
 Ship. wt: 56.8 lb (25.8 kg)

**13575**  
**Double 6"**



3/4" Butt (19)  
 Panel Projection 1-1/4" with foam  
 2-6" Exposure per Panel  
 (152.4/304.8)  
 16'8" Lengths (5080)  
 .046" Nominal Thickness  
 Cedargrain Texture

Packaging:  
 6 pcs. per ctn.  
 1 sq. per ctn. (9.3 m<sup>2</sup>)  
 Ship. wt: 55.7 lb (25.3 kg)

**For deep-pocket insulated vinyl siding accessories, see page 22-23.**


**COLORS**

- Snow White
- Almond
- Antique Ivory
- Dover Gray
- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Wicker
- Dark Drift†
- Harvest Wheat†
- Midnight Surf†
- Moonlit Moss†
- Saddle Brown†
- Venetian Red†
- Windswept Smoke†

†Designer colors not available in all markets.

**PRODUCT CODE & DESCRIPTION**


**13715**  
**Double 4"**



3/4" Butt (19)  
 2-4" Exposure per Panel  
 (101.6/203.2)  
 12'6" Lengths (3810)  
 .046" Nominal Thickness  
 Cedargrain Texture

Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 112 lb (50.8 kg)


**13714**  
**Double 4-1/2"**  
**Dutch Lap**



3/4" Butt (19)  
 2-4.5" Exposure per Panel  
 (114.5/229)  
 12'1" Lengths (3683)  
 .046" Nominal Thickness  
 Cedargrain Texture

Packaging:  
 22 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 102.5 lb (46.5 kg)


**13719**  
**Double 5"\***



3/4" Butt (19)  
 2-5" Exposure per Panel (127/254)  
 12' Lengths (3658)  
 .046" Nominal Thickness  
 Cedargrain Texture

Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 100 lb (45 kg)

**13741**  
**Double 5"**  
**Dutch Lap†**



3/4" Butt (19)  
 2-5" Exposure per Panel (127/254)  
 12' Lengths (3658)  
 .046" Nominal Thickness  
 Cedargrain Texture

Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 102.5 lb (46.5 kg)


**COLORS**

- Snow White
- Almond
- Antique Ivory
- Dover Gray
- Linen
- Maize
- Pearl
- Sandalwood
- Sandstone
- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Storm
- Wicker
- Coastal Blue†
- Dark Drift†
- Espresso†
- Harbor Bay†
- Harvest Wheat†
- Iron Ore†
- Midnight Surf†
- Moonlit Moss†
- Mountain Arbor†
- Saddle Brown†
- Venetian Red†
- Windswept Smoke†

†Designer colors not available in all markets.

**PRODUCT CODE & DESCRIPTION**

13373  
**7" Board & Batten**



1/2" Batten Height (12.7)  
1-1/2" Batten Width (38.1)  
7" Exposure per Panel (178.5)  
10' Lengths (3048)  
.048" Nominal Thickness  
Light Roughsawn Texture

Packaging:  
17 pcs. per ctn.  
1 sq. per ctn. (9.2 m<sup>2</sup>)  
Ship. wt: 50 lb (23 kg)

**COLORS**

Snow White

Almond

Antique Ivory

Dover Gray

Linen

Maize

Pearl

Sandalwood

Sandstone

Canyon Clay

Juniper Grove

Pebble

Sage

Storm

Wicker

Coastal Blue†

Dark Drift†

Espresso†

Harbor Bay†

Harvest Wheat†

Iron Ore†

Midnight Surf†

Moonlit Moss†

Mountain Arbor†

Venetian Red†

Windswept Smoke†

† Designer colors not available in all markets.

**PRODUCT CODE & DESCRIPTION**

13731  
**Double 4"**



3/4" Butt (19)  
2-4" Exposure per Panel (101.6/203.2)  
12'6" Lengths (3810)  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 112 lb (50.8 kg)

Aspen

Chestnut

Earthen

Maple

Rainforest

Willow


13732  
**Double 5"**



3/4" Butt (19)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 100 lb (45 kg)


13734  
**Double 5" Dutch Lap**



3/4" Butt (19)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 102.5 lb (46.5 kg)

13379  
**7" Board & Batten**



1/2" Batten Height (12.7)  
1-1/2" Batten Width (38.1)  
7" Exposure per Panel (178.5)  
10' Lengths (3048)  
.050" Nominal Thickness  
Light Roughsawn Texture


Packaging:  
17 pcs. per ctn.  
1 sq. per ctn. (9.2 m<sup>2</sup>)  
Ship. wt: 50 lb (23 kg)

**PRODUCT CODE & DESCRIPTION**

**13710**  
**Double 4"**

3/4" Butt (19)  
2-4" Exposure per Panel  
(101.6/203.2)  
**16'1" Lengths (4903)**  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
14 pcs. per ctn.  
1.5 sqs. per ctn. (14 m<sup>2</sup>)  
Ship. wt: 80.4 lb (36.5 kg)




**COLORS**

Snow White  
Antique Ivory  
Almond  
Dover Gray  
Linen  
Maize  
Pearl  
Sandalwood  
Sandstone  
Canyon Clay  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker

**13742**  
**Double 5"**  
**Dutch Lap**

3/4" Butt (19)  
2-5" Exposure per Panel (127/254)  
**16'4" Lengths (4979)**  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
11 pcs. per ctn.  
1.5 sqs. per ctn. (14 m<sup>2</sup>)  
Ship. wt: 73.2 lb (33.2 kg)



**13746**  
**Double 4"**

3/4" Butt (19)  
2-4" Exposure per Panel  
(101.6/203.2)  
**24'8" Lengths (7518)**  
.046" Nominal Thickness  
Cedargrain Texture


Packaging:  
9 pcs. per ctn.  
Approx 1.5 sqs. per ctn. (14 m<sup>2</sup>)  
Ship. wt: 77.2 lb (35 kg)



**13748**  
**Double 5"**  
**Dutch Lap**

3/4" Butt (19)  
2-5" Exposure per Panel (127/254)  
**24'8" Lengths (7518)**  
.046" Nominal Thickness  
Cedargrain Texture

Packaging:  
8 pcs. per ctn.  
1.65 sqs. per ctn. (15.3 m<sup>2</sup>)  
Ship. wt: 79.5 lb (36 kg)



Coastal Blue†  
Dark Drift†  
Espresso†  
Harbor Bay†  
Harvest Wheat†  
Iron Ore†  
Midnight Surf†  
Moonlit Moss†  
Mountain Arbor†  
Venetian Red†  
Windswept Smoke†


†Designer colors not available in all markets.

**PRODUCT CODE & DESCRIPTION**

**13404**  
**Double 4"**

5/8" Butt (15.9)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.044" Nominal Thickness  
Hardwood Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 99 lb (45 kg)




**COLORS**

Snow White  
Almond  
Antique Ivory  
Dover Gray  
Linen  
Maize  
Pearl  
Sandalwood  
Sandstone  
Canyon Clay  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker

**13436**  
**Double 4"**  
**Dutch Lap**

5/8" Butt (15.9)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.044" Nominal Thickness  
Hardwood Texture


Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 99 lb (45 kg)



**13413**  
**Double 5"**

5/8" Butt (15.9)  
2-5" Exposure per Panel (127/254)  
12" Lengths (3658)  
.044" Nominal Thickness  
Hardwood Texture

Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)




Dark Drift†  
Harbor Bay†  
Harvest Wheat†  
Midnight Surf†  
Moonlit Moss†  
Mountain Arbor†  
Venetian Red†  
Windswept Smoke†

†Designer colors not available in all markets.

**13415**  
**Double 5"**  
**Dutch Lap**

5/8" Butt (15.9)  
2-5" Exposure per Panel (127/254)  
12" Lengths (3658)  
.044" Nominal Thickness  
Hardwood Texture

Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)






**PRODUCT CODE & DESCRIPTION**

**COLORS**

13481  
8"

5/8" Butt (15.9)  
8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
.044" Nominal Thickness  
Hardwood Texture

Snow White



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 97 lb (44 kg)


**PRODUCT CODE & DESCRIPTION**

**COLORS**

13639  
6-1/2" Beaded

3/4" Butt (19)  
6-1/2" Exposure per Panel (165.1)  
12'3-3/4" Lengths (3753)  
.042" Nominal Thickness  
Brushed Texture

Snow White



Packaging:  
30 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 102 lb (46 kg)

Almond  
Antique Ivory  
Dover Gray  
Linen  
Maize  
Pearl  
Sandalwood  
Sandstone


Canyon Clay  
Juniper Grove  
Pebble  
Sage  
Wicker

## PRODUCT CODE & DESCRIPTION

**13629**  
**6-1/2" Beaded**

11/16" Butt (17.5)  
 6-1/2" Exposure per Panel (165.1)  
 12'3-3/4" Lengths (3753)  
 .044" Nominal Thickness  
 Brushed Texture

Packaging:  
 30 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 102 lb (46 kg)



## COLORS

Snow White  
 Almond  
 Antique Ivory  
 Dover Gray  
 Linen  
 Maize  
 Pearl  
 Sandalwood  
 Sandstone  
 Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Wicker




## PRODUCT CODE & DESCRIPTION

**13904**  
**Double 4"**

1/2" Butt (12.7)  
 2-4" Exposure per Panel (101.6/203.2)  
 12'6" Lengths (3810)  
 .042" Nominal Thickness  
 Light Roughsawn Texture


Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 94 lb (43 kg)



**13912**  
**Double 4"**  
**Dutch Lap**

1/2" Butt (12.7)  
 2-4" Exposure per Panel (101.6/203.2)  
 12'6" Lengths (3810)  
 .042" Nominal Thickness  
 Light Roughsawn Texture


Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 94 lb (43 kg)



**13939**  
**Double 5"**

1/2" Butt (12.7)  
 2-5" Exposure per Panel (127/254)  
 12' Lengths (3658)  
 .042" Nominal Thickness  
 Light Roughsawn Texture


Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 91 lb (41 kg)



**13930**  
**Double 5"**  
**Dutch Lap**

1/2" Butt (12.7)  
 2-5" Exposure per Panel (127/254)  
 12' Lengths (3658)  
 .042" Nominal Thickness  
 Light Roughsawn Texture

Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 90 lb (41 kg)



## COLORS

Snow White  
 Almond  
 Antique Ivory  
 Dover Gray  
 Linen  
 Maize  
 Pearl  
 Sandalwood  
 Sandstone  
 Canyon Clay  
 Juniper Grove  
 Pebble  
 Sage  
 Storm  
 Wicker  
 Dark Drift†  
 Harbor Bay†  
 Harvest Wheat†  
 Mountain Arbor†  
 Windswept Smoke†\*

† Designer color; D5 and D5D designer colors not offered in all markets.  
 \*Available in D4 and D4D only.




**PRODUCT CODE & DESCRIPTION**

**13291  
Triple 3"**

1/2" Butt (12.7)  
3-3" Exposure per Panel  
(76.2/229)  
12'1" Lengths (3683)  
.042" Nominal Thickness  
Brushed Texture

Packaging:  
22 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 96 lb (44 kg)



**COLORS**

- Snow White

---

- Almond
- Antique Ivory
- Dover Gray
- Linen
- Maize
- Pearl
- Sandalwood
- Sandstone

---

- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Storm
- Wicker

---

- Dark Drift†
- Harbor Bay†
- Harvest Wheat†
- Mountain Arbor†

†Designer color.




**PRODUCT CODE & DESCRIPTION**

**13825  
Double 4"**

7/16" Butt (11.1)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
.040" Nominal Thickness  
Cedargrain Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 89 lb (40 kg)



**COLORS**

- Snow White


---

- Almond
- Antique Ivory
- Dover Gray
- Linen
- Maize
- Pearl
- Sandalwood
- Sandstone

**13826  
Double 4-1/2"  
Dutch Lap**

7/16" Butt (11.1)  
2-4.5" Exposure per Panel  
(114.5/229)  
12'1" Lengths (3683)  
.040" Nominal Thickness  
Cedargrain Texture

Packaging:  
22 pcs. per ctn.  
2 sqs. per ctn. (18.6 m<sup>2</sup>)  
Ship. wt: 85 lb (39 kg)



- Canyon Clay
- Juniper Grove
- Pebble
- Sage
- Storm
- Wicker






FAIRHAVEN SOUND  
**SINGLE SELECT SHAKES & SCALLOPS**

Ultra-Premium Shakes & Scallops

**PRODUCT CODE & DESCRIPTION**

**13988  
Traditional Shake**




5/8" Butt (15.9)  
7" Single Exposure (177.8)  
6'9" Lengths (2057.4)  
.085" Nominal Thickness  
Natural Cedar Texture  
Polypropylene  
  
Packaging:  
13 pcs. per ctn.  
.5 sq. per ctn. (4.65 m<sup>2</sup>)  
Ship. wt: 40 lb (18.1 kg)

**COLORS\***

Snow White  
Almond  
Antique Ivory  
Dover Gray  
Linen  
Maize  
Pearl  
Sandstone


**13992  
Scallop**



1/2" Butt (12.7)  
6-1/4" Single Exposure (158.8)  
6'4" Lengths (1930.4)  
.085" Nominal Thickness  
Natural Cedar Texture  
Polypropylene  
  
Packaging:  
15 pcs. per ctn.  
.5 sq. per ctn. (4.65 m<sup>2</sup>)  
Ship. wt: 35 lb (15.9 kg)

Canyon Clay  
Classic Brown  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker


**13994  
Cape Cod Shingle**



1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
5'5" Lengths (1651)  
.075" Nominal Thickness  
Natural Cedar Texture  
Polypropylene  
  
Packaging:  
11 pcs. per ctn.  
.5 sq. per ctn. (4.65 m<sup>2</sup>)  
Ship. wt: 35 lb (15.9 kg)

Coastal Blue  
Dark Drift  
Espresso  
Harbor Bay  
Harvest Wheat  
Iron Ore  
Midnight Surf  
Moonlit Moss  
Mountain Arbor  
Saddle Brown  
Venetian Red  
Windswept Smoke

**13993  
Hand-Split Shake**



5/8" Butt (15.9)  
9" Single Exposure (228.6)  
6'4-1/2" Lengths (1943.1)  
.100" Nominal Thickness  
Polypropylene  
Deep Cedargrain Texture  
Staggered Bottom Edge  
  
Packaging:  
11 pcs. per ctn.  
.5 sq. per ctn. (4.65 m<sup>2</sup>)  
Ship. wt: 44 lb (20 kg)



FAIRHAVEN SOUND  
**SINGLE SELECT ACCESSORIES**

Ultra-Premium Shakes & Scallops

**PRODUCT CODE & DESCRIPTION**

**14972  
Traditional Shake  
Corner**



15.86" Lengths (402.8)  
Natural Cedar Texture  
  
Packaging:  
10 pcs. per ctn.  
13.2 lineal ft. per ctn. (4 m)  
Ship. wt: 7 lb (3.2 kg)

Snow White  
Almond  
Antique Ivory  
Dover Gray  
Linen  
Maize  
Pearl  
Sandstone

**14974  
Hand-Split Shake  
Corner**



20.18" Lengths (512.6)  
Deep Cedargrain Texture  
  
Packaging:  
10 pcs. per ctn.  
16.8 lineal ft. per ctn. (5.1 m)  
Ship. wt: 10.5 lb (4.8 kg)

Canyon Clay  
Classic Brown  
Juniper Grove  
Pebble  
Sage  
Storm  
Wicker

**15160  
Starter Strip†**



10' Lengths (3.1 m)  
  
Packaging:  
25 pcs. per ctn.  
250 lineal ft. per ctn. (76.2 m)  
Ship. wt: 57 lb (25.9 kg)

No Color

†Aluminum starter strip.

Coastal Blue  
Dark Drift  
Espresso  
Harbor Bay  
Harvest Wheat  
Iron Ore  
Midnight Surf  
Moonlit Moss  
Mountain Arbor  
Saddle Brown  
Venetian Red  
Windswept Smoke

**13998  
AccuClip**



Packaging:  
25 pcs. per bag  
4 bags per ctn.


Stainless steel install clip secures top course of shake and scallops.

**PRODUCT CODE & DESCRIPTION**

**16388**  
**12" T-4**  
**Solid Soffit/  
 Vertical Siding**

12" Exposure per Panel (304.8)  
 12' Lengths (3658)  
 .044" Nominal Thickness  
 3/4" Nominal Panel Projection  
 Matte Texture


Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
 Ship. wt: 109.2 lb (49.53 kg)



**16386**  
**12" T-4**  
**Soffit/Hidden Vent**

12" Exposure per Panel (304.8)  
 12' Lengths (3658)  
 .044" Nominal Thickness  
 3/4" Nominal Panel Projection  
 Matte Texture  
 10 sq. inches ventilation  
 per lineal foot

Packaging:  
 16 pcs. per ctn.  
 1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
 Ship. wt: 109.2 lb (49.53 kg)



**COLORS**


- Snow White
- Almond
- Antique Ivory
- Dover Gray
- Linen
- Maize
- Pearl
- Sandalwood
- Sandstone
- Canyon Clay
- Juniper Grove
- Musket Brown
- Pebble
- Sage
- Wicker

**PRODUCT CODE & DESCRIPTION**

**16312**  
**10" D-5**  
**Solid Soffit/  
 Vertical Siding**


10" Exposure per Panel (254)  
 10' Lengths (3048)  
 .042" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Light Roughsawn Texture

Packaging:  
 24 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 83 lb (38 kg)



**16321**  
**10" D-5**  
**Solid Soffit/  
 Vertical Siding**


10" Exposure per Panel (254)  
 12' Lengths (3658)  
 .042" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Light Roughsawn Texture



Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 83 lb (38 kg)

**16320**  
**10" D-5**  
**Fully Vented Soffit**

10" Exposure per Panel (254)  
 12' Lengths (3658)  
 .042" Nominal Thickness  
 1/2" Nominal Panel Projection  
 Light Roughsawn Texture  
 5.3 sq. inches ventilation  
 per lineal foot



Packaging:  
 20 pcs. per ctn.  
 2 sqs. per ctn. (18.6 m<sup>2</sup>)  
 Ship. wt: 83 lb (38 kg)


**COLORS**

- Snow White
- Almond
- Antique Ivory
- Dover Gray
- Linen
- Maize
- Pearl
- Sandalwood
- Sandstone
- Canyon Clay
- Juniper Grove
- Musket Brown
- Pebble
- Sage
- Storm
- Wicker

## BEADED PREMIUM VINYL SOFFIT

### PRODUCT CODE & DESCRIPTION

#### 16345 8" Solid Soffit



8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
.042" Nominal Thickness  
3/8" Nominal Panel Projection  
Matte Texture

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 59 lb (27 kg)

\*Soffit use only.

### COLORS

Snow White

Linen

Sandalwood


Canyon Clay

Juniper Grove

Pebble

Wicker

#### 16346 8" Vented Soffit




8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
.042" Nominal Thickness  
3/8" Nominal Panel Projection  
Matte Texture  
2.4 sq. inches ventilation  
per lineal foot

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 59 lb (27 kg)

## FAIRWEATHER® VINYL SOFFIT

### PRODUCT CODE & DESCRIPTION

#### 16550 12" T-4 Solid Soffit/ Vertical Siding



12" Exposure per Panel (304.8)  
12' Lengths (3658)  
.040" Nominal Thickness  
1/2" Nominal Panel Projection  
Brushed Texture

Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 79 lb (36 kg)

### COLORS

Snow White

Almond

Antique Ivory

Dover Gray

Linen


Maize

Pearl

Sandalwood

Sandstone

#### 16570 12" T-4 Center Vented Soffit



12" Exposure per Panel (304.8)  
12' Lengths (3658)  
.040" Nominal Thickness  
1/2" Nominal Panel Projection  
Brushed Texture  
2.3 sq. inches ventilation  
per lineal foot

Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 79 lb (36 kg)

Canyon Clay

Juniper Grove


Musket Brown

Pebble

Sage

Wicker

#### 16590 12" T-4 Fully Vented Soffit



12" Exposure per Panel (304.8)  
12' Lengths (3658)  
.040" Nominal Thickness  
1/2" Nominal Panel Projection  
Brushed Texture  
7.1 sq. inches ventilation  
per lineal foot

Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 79 lb (36 kg)

(For EnFusion Siding)

## DEEP-POCKET INSULATED VINYL ACCESSORIES | VINYL


### PRODUCT CODE & DESCRIPTION

### COLORS

#### 15522 Inside Corner Post

10' Lengths (3048)  
Brushed Texture

See Matrix On  
Pages 64-65.




Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 33.6 lb (15.3 kg)

#### 14518 4" Outside Corner Post with Foam

4" Face (101.6)  
10' Lengths (3048)  
Brushed Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 48.5 lb (22 kg)



#### 15003 3-1/2" Window/Door Surround\* with Foam

3-1/2" Face (88.9)  
20' Lengths (6096)  
Brushed Texture

Packaging:  
10 pcs. per ctn.  
200 lineal ft. per ctn. (61 m)  
Ship. wt: 34.4 lb (15.6 kg)




\*Use understill trim (14078) as starter.

#### 14061 (Special Order) 1-1/4" J-Channel with 1" Face

12' Lengths (3658)  
Brushed Texture

Packaging:  
30 pcs. per ctn.  
432 lineal ft. per ctn. (131.7 m)  
Ship. wt: 54 lb (24.4 kg)



(For EnFusion Siding)

## DEEP-POCKET INSULATED VINYL ACCESSORIES | VINYL

### PRODUCT CODE & DESCRIPTION


### COLORS

#### K661945 Easy Start Starter Strip

12'6" Lengths (3810)

See Matrix On  
Pages 64-65.

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 32 lb (14.5 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

14515  
**3-1/2"**  
**Outside Corner Post**

3-1/2" Face (88.9)  
10' Lengths (3048)  
Brushed Texture

See Matrix On  
Pages 66-67.


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 41 lb (19 kg)



14525  
**3"**  
**Outside Corner Post**

3" Face (76.2)  
10' Lengths (3048)  
Brushed Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 38 lb (17 kg)



15030  
**Bay & Bow**  
**Outside Corner Post**

2" Face (50.8)  
12'6" Lengths (3810)  
Matte Texture


Packaging:  
10 pcs. per ctn.  
125 lineal ft. per ctn. (38 m)  
Ship. wt: 23 lb (10.5 kg)



14981  
**6" Designer**  
**Outside Corner Post**

6" Face (152.4)  
20' Lengths (6096)  
Brushed Texture

Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 56 lb (25 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

15026  
**7"**  
**Fluted Corner Post**  
**with Foam Insert**

20' Lengths (6096)  
Matte Texture

See Matrix On  
Pages 66-67.


Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 87 lb (39.5 kg)



15020  
**Beaded Corner Post**  
**with Foam Insert**

20' Lengths (6096)  
Matte Texture


Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 84 lb (38 kg)



14110  
**3/4" Inside Corner Post**

10' Lengths (3048)  
Brushed Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 27.4 lb (12.4 kg)



14098  
**1/2" J-Channel**

12' Lengths (3658)  
Brushed Texture

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 44 lb (20 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**14057**  
**5/8" Premium**  
**J-Channel**

12' Lengths (3658)  
Brushed Texture

See Matrix On  
Pages 66-67.


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 46 lb (21 kg)



**14095**  
**3/4" Premium**  
**J-Channel**

12' Lengths (3658)  
Brushed Texture


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 49 lb (22 kg)



**14092**  
**1-1/8" J-Channel**

12' Lengths (3658)  
Brushed Texture

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 50 lb (22.6 kg)




**14061 (Special Order)**  
**1-1/4" J-Channel\***  
**with 1" Face**

12' Lengths (3658)  
Brushed Texture

Packaging:  
30 pcs. per ctn.  
432 lineal ft. per ctn. (131.7 m)  
Ship. wt: 54 lb (24.4 kg)

\*Can be used with Sequoia Select EnFusion insulated siding.



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**14072 (Special Order)**  
**1-1/2" J-Channel**

12' Lengths (3658)  
Brushed Texture

See Matrix On  
Pages 66-67.


Packaging:  
30 pcs. per ctn.  
360 lineal ft. per ctn. (109.8 m)  
Ship. wt: 56.4 lb (25.6 kg)



**14093**  
**2-1/2" Wide Face**  
**J-Channel**

12' Lengths (3658)  
Brushed Texture

Packaging:  
18 pcs. per ctn.  
216 lineal ft. per ctn. (65.8 m)  
Ship. wt: 47 lb (21 kg)




**14078**  
**Undersill Trim\***

12' Lengths (3658)  
Brushed Texture

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 37 lb (16.8 kg)

\*Also used as a starter strip for 5" lineal.




**14995**  
**Double Undersill Trim**

12' Lengths (3658)  
Smooth Texture

Packaging:  
20 pcs. per ctn.  
250 lineal ft. per ctn. (76.2 m)  
Ship. wt: 27.5 lb (12.5 kg)

**14995 has replaced 14990 in a rolling change – Do Not Mix to avoid possible color variations.**




**PRODUCT CODE & DESCRIPTION**

**14983  
Drip Cap**

12' Lengths (3658)  
Brushed Texture

Packaging:  
45 pcs. per ctn.  
540 lineal ft. per ctn. (164.6 m)  
Ship. wt: 71 lb (32.2 kg)




**COLORS**

See Matrix On  
Pages 66-67.

**14142  
Beltline Trim**

12' Lengths (3658)  
Brushed Texture


Packaging:  
30 pcs. per ctn.  
360 lineal ft. per ctn. (109.7 m)  
Ship. wt: 39 lb (18 kg)



**14587  
3-1/2" Window/Door  
Surround\***

3-1/2" Face (88.9)  
20' Lengths (6096)  
Matte Texture

Packaging:  
5 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 30 lb (13.5 kg)




\*Use with surround starter (14989).

**15005  
5" Window/Door  
Surround\***

5" Face (127)  
20' Lengths (6096)  
Matte Texture

Packaging:  
10 pcs. per ctn.  
200 lineal ft. per ctn. (61 m)  
Ship. wt: 65 lb (29.5 kg)



\*Use undersill trim (14078) as starter.


**PRODUCT CODE & DESCRIPTION**

**14989  
Surround Starter**

12' Lengths (3658)

See Matrix On  
Pages 66-67.


Packaging:  
25 pcs. per ctn.  
300 lineal ft. per ctn. (91.4 m)  
Ship. wt: 33 lb (15 kg)



**14980  
Starter Strip\***

12' Lengths (3658)

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 58 lb (26 kg)




\*For Sequoia Select vinyl siding, use aluminum starter strip (0109025) located on page 41.

**14094  
F-Channel**

12' Lengths (3658)  
Brushed Texture


Packaging:  
24 pcs. per ctn.  
288 lineal ft. per ctn. (87.8 m)  
Ship. wt: 43 lb (19.6 kg)



**14086  
3/4" F-Channel**

12' Lengths (3810)  
Brushed Texture

Packaging:  
32 pcs. per ctn.  
400 lineal ft. per ctn. (122 m)  
Ship. wt: 55 lb (25 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**14986**  
**3/8" Soffit Cove**  
**J-Channel**

12'6" Lengths (3810)  
Matte Texture

See Matrix On  
Pages 66-67.


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 39.7 lb (18 kg)



**14099**  
**Soffit Double Channel**

12' Lengths (3658)  
Brushed Texture


Packaging:  
20 pcs. per ctn.  
240 lineal ft. per ctn. (73.2 m)  
Ship. wt: 48 lb (22 kg)



**15035**  
**3-1/2" H-Trim**

20' Lengths (6096)  
Matte Texture


Packaging:  
10 pcs. per ctn.  
200 lineal ft. per ctn. (61 m)  
Ship. wt: 64 lb (29 kg)



**14131**  
**Soffit Cove Moulding**

12' Lengths (3658)  
Brushed Texture

Packaging:  
16 pcs. per ctn.  
192 lineal ft. per ctn. (58.52 m)  
Ship. wt: 30.4 lb (14 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**14982**  
**Soffit Crown Moulding**

12' Lengths (3658)  
Brushed Texture

See Matrix On  
Pages 66-67.

Packaging:  
18 pcs. per ctn.  
216 lineal ft. per ctn. (65.9 m)  
Ship. wt: 48 lb (18.2 kg)





**PRODUCT CODE & DESCRIPTION**


**COLORS**

**14516  
Variegated  
3-1/2" Outside  
Corner Post**

3-1/2" Face (88.9)  
10' Lengths (3048)  
Brushed Texture

See Matrix On  
Pages 66-67.


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 44 lb (20 kg)



**14521  
Variegated  
1/2" J-Channel**

12' Lengths (3658)  
Brushed Texture


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 45 lb (20.4 kg)



**14519  
Variegated  
3/4" J-Channel**

12' Lengths (3658)  
Brushed Texture


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 49 lb (22 kg)



**14522  
Variegated  
Undersill Trim**

12' Lengths (3658)  
Brushed Texture

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 37 lb (16.8 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**14520  
Variegated Drip Cap**

12' Lengths (3658)  
Brushed Texture

See Matrix On  
Pages 66-67.

Packaging:  
45 pcs. per ctn.  
540 lineal ft. per ctn. (164.6 m)  
Ship. wt: 55 lb (25 kg)





CEDARWOOD®

ALUMINUM SIDING

ALUMINUM SIDING

**PRODUCT CODE & DESCRIPTION**


**COLORS**

0010008

**Double 5"**

1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
PVDF Finish (Kynar)  
Woodgrain Texture  
Variegated Colors

Aspen Gray  
Chestnut Brown  
Maple Tan  
Tawny Oak



Packaging:  
20 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 89 lb (40.5 kg)



WOODGRAIN™ SERIES 2000

ALUMINUM SIDING

ALUMINUM SIDING

**PRODUCT CODE & DESCRIPTION**


**COLORS**

0008201

**Double 4"**

1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
Poly Finish  
Woodgrain Texture

Bright White  
Almond  
Antique Ivory  
Canyon Clay  
Dover Gray  
Sandstone  
Wicker



Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 70 lb (31.8 kg)



DELUXE™

ALUMINUM SIDING

## ALUMINUM SIDING


### PRODUCT CODE & DESCRIPTION

### COLORS

**0001012**  
**Double 4"**

1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
Poly Finish  
Smooth Texture


Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 73 lb (33.3 kg)



**0001011**  
**8"**

1/2" Butt (12.7)  
8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
Poly Finish  
Smooth Texture

Packaging:  
24 pcs. per ctn.  
2 sqs. per ctn. (18.58 m<sup>2</sup>)  
Ship. wt: 84 lb (38.4 kg)



## HI-TENSILE™ ALUMINUM SOFFIT


### PRODUCT CODE & DESCRIPTION

### COLORS

**0520036**  
**12" T-4**  
**Solid**

12" Exposure per Panel (304.8)  
12' Lengths (3658)  
Poly Finish  
Smooth Texture


Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 56 lb (25.5 kg)



**0516036**  
**12" T-4**  
**Center Vented**

12" Exposure per Panel (304.8)  
12' Lengths (3658)  
Poly Finish  
Smooth Texture  
3.9 sq. inches ventilation  
per lineal foot


Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 56 lb (25.5 kg)



**0515036**  
**12" T-4**  
**Fully Vented**

12" Exposure per Panel (304.8)  
12' Lengths (3658)  
Poly Finish  
Smooth Texture  
11.6 sq. inches ventilation  
per lineal foot

Packaging:  
16 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 56 lb (25.5 kg)



Bright White

Almond

Antique Ivory

Black

Bronze

Brownstone

Canyon Clay

Classic Brown

Dover Gray

Grecian Green

Linen

London Brown

Musket Brown

Norwood

Pebble

Royal Brown

Sage

Sandstone

Terratone

Thistle

Venetian Red


Wicker

**PRODUCT CODE & DESCRIPTION**

**0540663**  
**16" Quad-4**  
**Solid**

16" Exposure per Panel (406.4)  
12' Lengths (3658)  
Poly Finish  
Smooth Texture


Packaging:  
12 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 54 lb (24.5 kg)



**0540661**  
**16" Quad-4**  
**Center Vented**

16" Exposure per Panel (406.4)  
12' Lengths (3658)  
Poly Finish  
Smooth Texture  
7.8 sq. inches ventilation  
per lineal foot

Packaging:  
12 pcs. per ctn.  
1.92 sqs. per ctn. (17.8 m<sup>2</sup>)  
Ship. wt: 54 lb (24.5 kg)



**COLORS**


- Bright White
- Almond
- Antique Ivory
- Brownstone
- Canyon Clay
- Charcoal
- Classic Brown
- Dover Gray
- Grecian Green
- Linen
- London Brown
- Musket Brown
- Norwood
- Pebble
- Royal Brown
- Sage
- Sandstone
- Terratone
- Thistle
- Venetian Red
- Wicker

**PRODUCT CODE & DESCRIPTION**

**0525006**  
**6" Fascia**

12'6" Lengths (3810)  
Poly Finish  
Smooth Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 64 lb (29.1 kg)



**0525008**  
**8" Fascia**

12'6" Lengths (3810)  
Poly Finish  
Smooth Texture

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 80 lb (36.4 kg)



**COLORS**

- Bright White
- Almond
- Antique Ivory
- Black
- Bronze
- Brownstone
- Canyon Clay
- Charcoal
- Classic Brown
- Dover Gray
- Grecian Green
- Linen
- London Brown
- Musket Brown
- Norwood
- Pebble
- Royal Brown
- Sage
- Sandstone
- Terratone
- Thistle
- Venetian Red
- Wicker

**PRODUCT CODE & DESCRIPTION**


**COLORS**

**0103501**  
**Deluxe™**  
**Outside Corner Post**

2-1/2" Face (63.5)  
10' Lengths (3048)  
Poly Finish  
Smooth Texture

See Matrix On  
Pages 70-71.


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 35 lb (15.9 kg)



**0103508**  
**Woodgrain™**  
**Outside Corner Post**

2-1/2" Face (63.5)  
10' Lengths (3048)  
Poly Finish  
Woodgrain Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 35 lb (15.9 kg)



**0104209**  
**3/4" J-Channel**

12' Lengths (3658)  
Poly Finish  
Smooth Texture


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 29 lb (13 kg)



**0108609**  
**Snap-Lock**  
**Finish Trim**

12' Lengths (3658)  
Poly Finish  
Smooth Texture

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 25 lb (11.4 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**0109025**  
**2-1/2" Starter Strip**

10' Lengths (3048)

See Matrix On  
Pages 70-71.


Packaging:  
50 pcs. per ctn.  
500 lineal ft. per ctn. (152.4 m)  
Ship. wt: 50 lb (22.7 kg)



**0103510**  
**Cedarwood®**  
**Outside Corner Post**

2-1/2" Face (63.5)  
10' Lengths (3048)  
PVDF Finish (Kynar)  
Woodgrain Texture  
Variegated Colors


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 35 lb (15.9 kg)



**0104219**  
**Cedarwood®**  
**3/4" J-Channel**

12' Lengths (3658)  
PVDF Finish (Kynar)  
Smooth Texture  
Variegated Colors


Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 29 lb (13.2 kg)



**0108619**  
**Cedarwood®**  
**Snap-Lock Finish Trim**

12' Lengths (3658)  
PVDF Finish (Kynar)  
Smooth Texture  
Variegated Colors

Packaging:  
40 pcs. per ctn.  
480 lineal ft. per ctn. (146.3 m)  
Ship. wt: 25 lb (11.4 kg)






PRODUCT CODE & DESCRIPTION

COLORS

0199033  
**Cedarwood®  
Touch-Up Paint**

Packaging:  
6 pcs. per ctn.  
Ship. wt: 1 lb (0.5 kg)  
Variegated Colors


See Matrix On  
Pages 70-71.



0530002  
**Reverse Frieze  
Moulding**

12'6" Lengths (3810)  
Poly Finish  
Smooth Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 39.5 lb (18 kg)



0530008  
**1/2" Soffit J-Channel**

12'6" Lengths (3810)  
Poly Finish  
Smooth Texture


Packaging:  
40 pcs. per ctn.  
500 lineal ft. per ctn. (152.4 m)  
Ship. wt: 34.6 lb (16 kg)



0530015  
**Drip Edge Style D**

10' Lengths (3048)  
Poly Finish  
Smooth Texture

Packaging:  
25 pcs. per ctn.  
250 lineal ft. per ctn. (76.2 m)  
Ship. wt: 29.2 lb (13 kg)




PRODUCT CODE & DESCRIPTION

COLORS

1724004  
**Double 4"**

1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
PVDF Finish (Kynar)  
Roughsawn Texture

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 95 lb (43 kg)




Bright White  
Adobe  
Chelsea Bluff  
Chevron Smoke  
Delray Sand  
Dover Gray  
Harbor Bay  
Juniper Grove  
Sable

1724005  
**Double 5"**

1/2" Butt (12.7)  
2-5" Exposure per Panel  
(127/254)  
12' Lengths (3658)  
PVDF Finish (Kynar)  
Roughsawn Texture

Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)




Taylor Red  
Thistle  
Watermill Blue

1724008  
**8"**

1/2" Butt (12.7)  
8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
PVDF Finish (Kynar)  
Roughsawn Texture


Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)



1724012  
**12" Vertical  
Board & Batten**

5/8" Batten Height (15.9)  
2" Batten Width (50.8)  
12" Exposure per Panel (304.8)  
10' Lengths (3048)  
PVDF Finish (Kynar)  
Medium Woodgrain Texture

Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 85 lb (39 kg)




## PRODUCT CODE & DESCRIPTION

**1726102**  
**Double 4"**

1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
PVC Finish  
Woodgrain Texture

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 95 lb (43 kg)



## COLORS

Bright White


---

Almond  
Antique Ivory  
Brownstone  
Canyon Clay  
Classic Brown  
Dover Gray  
Norwood  
Sage  
Thistle  
Venetian Red  
Wicker

**1726101**  
**8"**

1/2" Butt (12.7)  
8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
PVC Finish  
Woodgrain Texture

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)




## PRODUCT CODE & DESCRIPTION

**1751102**  
**Double 4"**

1/2" Butt (12.7)  
2-4" Exposure per Panel  
(101.6/203.2)  
12'6" Lengths (3810)  
PVC Finish  
Woodgrain Texture

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 95 lb (43 kg)



## COLORS

Bright White


---

Almond  
Antique Ivory  
Brownstone  
Canyon Clay  
Classic Brown  
Dover Gray  
Norwood  
Sage  
Thistle  
Venetian Red  
Wicker

**1751104**  
**Double 5"**

1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
PVC Finish  
Woodgrain Texture


Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)



**1751101**  
**8"**

1/2" Butt (12.7)  
8" Exposure per Panel (203.2)  
12'6" Lengths (3810)  
PVC Finish  
Woodgrain Texture

Packaging:  
12 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)




**PRODUCT CODE & DESCRIPTION**

**1757104  
Double 5"**

1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
PVC Fusion Finish  
Woodgrain Texture  
Variegated Colors

**COLORS**

Poplar  
Southern Pecan  
Sycamore  
Winter Oak



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 95 lb (43 kg)


**PRODUCT CODE & DESCRIPTION**

**1719010  
Universal<sup>™</sup>  
Double 5"  
Dutch Lap**

1/2" Butt (12.7)  
2-5" Exposure per Panel (127/254)  
12' Lengths (3658)  
PVC Finish  
Woodgrain Texture

**COLORS**


Bright White  
Almond  
Antique Ivory  
Brownstone  
Canyon Clay  
Classic Brown  
Dover Gray  
Norwood  
Sage  
Thistle  
Venetian Red  
Wicker



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 91 lb (41 kg)

**1719006  
Universal<sup>™</sup>  
12" Vertical  
Board & Batten**

5/8" Batten Height (15.9)  
2" Batten Width (50.8)  
12" Exposure per Panel (304.8)  
10' Lengths (3048)  
PVC Finish  
Medium Woodgrain Texture



Packaging:  
10 pcs. per ctn.  
1 sq. per ctn. (9.29 m<sup>2</sup>)  
Ship. wt: 85 lb (39 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**1855106**  
**6" Steel Fascia**

10' Lengths (3048)  
PVC Finish  
Woodgrain Texture

See Matrix On  
Pages 72-73.


Packaging:  
12 pcs. per ctn.  
120 lineal ft. per ctn. (36.6 m)  
Ship. wt: 51 lb (23 kg)



**1855108**  
**8" Steel Fascia**

10' Lengths (3048)  
PVC Finish  
Woodgrain Texture

Packaging:  
12 pcs. per ctn.  
120 lineal ft. per ctn. (36.6 m)  
Ship. wt: 64 lb (29 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**1813526**  
**3/4" Outside  
Corner Post**

2-1/2" Face (63.5)  
10' Lengths (3048)  
PVC Finish  
Woodgrain Texture

See Matrix On  
Pages 74-75.


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 62 lb (28 kg)



**1814206**  
**3/4" J-Channel**

12'6" Lengths (3810)  
PVC Finish  
Striated Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 48 lb (22 kg)



**1815011**  
**Snap-Lock Finish Trim**

12'6" Lengths (3810)  
PVC Finish  
Striated Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 35 lb (16 kg)



**1829020**  
**2-1/2" Starter Strip**

10' Lengths (3048)

Packaging:  
26 pcs. per ctn.  
260 lineal ft. per ctn. (79.3 m)  
Ship. wt: 48 lb (22 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

1829025  
**3-1/2" Starter Strip**

10' Lengths (3048)

See Matrix On  
Pages 74-75.


Packaging:  
26 pcs. per ctn.  
260 lineal ft. per ctn. (79.3 m)  
Ship. wt: 61 lb (28 kg)



1813540  
**SteelTek™ Supreme  
Universal 3/4" Outside  
Corner Post**

2-1/2" Face (63.5)  
10' Lengths (3048)  
Kynar PVDF Finish  
Roughsawn Texture


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 62 lb (28 kg)



1844140  
**SteelTek™ Supreme  
1-1/8" J-Channel**

12'6" Lengths (3810)  
Kynar PVDF Finish  
Roughsawn Texture


Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 54 lb (25 kg)



1814240  
**SteelTek™ Supreme  
3/4" J-Channel**

12'6" Lengths (3810)  
Kynar PVDF Finish  
Roughsawn Texture

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 48 lb (22 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

1815040  
**SteelTek™ Supreme  
Snap-Lock  
Finish Trim**

12'6" Lengths (3810)  
Kynar PVDF Finish  
Roughsawn Texture

See Matrix On  
Pages 74-75.

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 35 lb (16 kg)



0199044  
**SteelTek™ Supreme  
2 oz. Touch-Up Paint  
with Brush**

Packaging:  
6 pcs. per ctn.



0199444  
**SteelTek™ Supreme  
6 oz. Touch-Up  
Aerosol Paint**

Packaging:  
12 pcs. per ctn.

To be used with paintable accessories.




**PRODUCT CODE & DESCRIPTION**

**COLORS**

**1815015**  
**Driftwood® Snap-Lock**  
**Finish Trim**

12'6" Lengths (3810)  
PVC Fusion Finish  
Smooth Texture  
Variegated Colors

See Matrix On  
Pages 74-75.




Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 35 lb (16 kg)

**1823650**  
**Driftwood®**  
**3/4" Outside**  
**Corner Post**

2-1/2" Face (63.5)  
10' Lengths (3048)  
PVC Fusion Finish  
Woodgrain Texture  
Variegated Colors


Packaging:  
10 pcs. per ctn.  
100 lineal ft. per ctn. (30.5 m)  
Ship. wt: 62 lb (28 kg)



**1824320**  
**Driftwood®**  
**3/4" J-Channel**

12'6" Lengths (3810)  
PVC Fusion Finish  
Smooth Texture  
Variegated Colors

Packaging:  
24 pcs. per ctn.  
300 lineal ft. per ctn. (91.5 m)  
Ship. wt: 48 lb (22 kg)



**PRODUCT CODE & DESCRIPTION**


**COLORS**

**1890405**  
**10.625" SteelTek™**  
**Supreme Seamless Coil**  
**with Kynar® PVDF**  
**Color, 1 Side**

Yields 1.90 l/ft per lb  
Kynar PVDF Finish

See Matrix On  
Pages 74-75.


Packaging:  
2 rolls per skid  
Ship wt. 750 lb approx. per roll  
(340.194 kg)



**1890409**  
**13.250" SteelTek™**  
**Supreme Seamless Coil**  
**with Kynar® PVDF**  
**Color, 1 Side**

Yields 1.36 l/ft per lb  
Kynar PVDF Finish


Packaging:  
2 rolls per skid  
Ship wt. 750 lb approx. per roll  
(340.194 kg)



**1890415**  
**10.625" SteelTek™**  
**Seamless Coil**  
**with Kynar® PVDF**  
**Color, 1 Side**

Yields 1.90 l/ft per lb  
Kynar PVDF Finish


Packaging:  
1 roll per skid  
Ship wt. 750 lb approx. per roll  
(340.194 kg)



**1890419**  
**13.250" SteelTek™**  
**Seamless Coil**  
**with Kynar® PVDF**  
**Color, 1 Side**

Yields 1.36 l/ft per lb  
Kynar PVDF Finish

Packaging:  
1 roll per skid  
Ship wt. 750 lb approx. per roll  
(340.194 kg)




## TRIM COIL | STEEL

### PRODUCT CODE & DESCRIPTION

1870007  
**22.3" PVC  
Color, 1 Side**

50' Lengths (15.24 m)  
PVC Finish

Packaging:  
1 roll per ctn.  
Ship. wt: 63 lb (28.6 kg)



### COLORS

See Matrix On  
Pages 76-77.

1871037  
**10.3" Driftwood®  
Color, 1 Side**

50' Lengths (15.24 m)  
PVC Fusion Finish

Packaging:  
1 roll per ctn.  
Ship. wt: 64 lb (29 kg)



## TRIM COIL | ALUMINUM

### PRODUCT CODE & DESCRIPTION

0710117  
**24" G8  
Bright White, 1 Side**

50' Lengths (15.24 m)  
Polyester Finish

Packaging:  
1 roll per ctn.  
Ship. wt: 28.1 lb (13 kg)



### COLORS

See Matrix On  
Pages 76-77.

0737407  
**24" Poly  
Heavy-Duty  
Bright White Over  
Bright White**

50' Lengths (15.24 m)  
Poly Finish

Packaging:  
1 roll per ctn.  
Ship. wt: 33.8 lb (15 kg)



0737107  
**24" Poly (LoMar)  
Color Over Bright White**

50' Lengths (15.24 m)  
Poly (LoMar) Finish


Packaging:  
1 roll per ctn.  
Ship. wt: 27.3 lb (12 kg)



0735007  
**24" Poly (LoMar)  
White Over White**

50' Lengths (15.24 m)  
Poly (LoMar) Finish

Packaging:  
1 roll per ctn.  
Ship. wt: 27.3 lb (12 kg)



## TRIM COIL | ALUMINUM

### PRODUCT CODE & DESCRIPTION


### COLORS

0710007  
**24" PVC-Coated  
Color, 1 Side**

50' Lengths (15.24 m)  
PVC Finish

See Matrix On  
Pages 76-77.

Packaging:  
1 roll per ctn.  
Ship. wt: 27.7 lb (13 kg)




0714007  
**24" Cedarwood®  
Variegated Color Over  
Solid Color**

50' Lengths (15.24 m)  
PVDF Finish (Kynar)  
Variegated Colors

Packaging:  
1 roll per ctn.  
Ship. wt: 26 lb (12 kg)

Aluminum coil matching Cedarwood  
aluminum siding.



## TRIM COIL | ALUMINUM – VALUGARD

### PRODUCT CODE & DESCRIPTION


### COLORS

0739010  
**24" ValuGard™  
Bright White Over  
Bright White**

50' Lengths (15.24 m)  
Poly Finish

See Matrix On  
Pages 76-77.


Packaging:  
1 roll per ctn.  
Ship. wt: 23 lb (10.4 kg)



0710010  
**24" ValuGard™  
Bright White, 1 Side**

50' Lengths (15.24 m)  
PVC Finish

Packaging:  
1 roll per ctn.  
Ship. wt: 26 lb (11.8 kg)



## GUTTER COIL | ALUMINUM

### PRODUCT CODE & DESCRIPTION

### COLORS

0220015  
**Gutter Coil**  
.027" x 11.75"

Poly Finish

See Matrix On  
Pages 80-81.

Packaging:  
2 rolls per skid  
350/700 lb per skid  
Ship. wt: 700 lb (317.5 kg)



0200020  
**Gutter Coil**  
.027" x 11.875"

Poly Finish

Packaging:  
2 rolls per skid  
350/700 lb per skid  
Ship. wt: 700 lb (317.5 kg)



0220012  
**Gutter Coil**  
.027" x 11.875"

Poly Finish

Packaging:  
2 rolls per skid  
200/400 lb per skid  
Ship. wt: 400 lb (181.4 kg)



0220029  
**Gutter Coil**  
.027" x 15"

Poly Finish

Packaging:  
2 rolls per skid  
350/700 lb per skid  
Ship. wt: 700 lb (317.5 kg)



### PRODUCT CODE & DESCRIPTION

### COLORS

0220035  
**Gutter Coil**  
.032" x 11.75"

Poly Finish

See Matrix On  
Pages 80-81.

Packaging:  
2 rolls per skid  
350/700 lb per skid  
Ship. wt: 700 lb (317.5 kg)



0200040  
**Gutter Coil**  
.032" x 11.875"

Poly Finish

Packaging:  
2 rolls per skid  
350/700 lb per skid  
Ship. wt: 700 lb (317.5 kg)



0220022  
**Gutter Coil**  
.032" x 11.875"

Poly Finish

Packaging:  
2 rolls per skid  
200/400 lb per skid  
Ship. wt: 400 lb (181.4 kg)



0220050  
**Gutter Coil**  
.032" x 15"

Poly Finish

Packaging:  
2 rolls per skid  
350/700 lb per skid  
Ship. wt: 700 lb (317.5 kg)



# VINYL SIDING | COLOR MATRIX

Arin, do you want to kill the asterisks in pink since we have the \* on the headline Designer Colors\* and the footnote at the bottom?

	751 Snow White	004 Almond	007 Antique Ivory	150 Dover Gray	449 Linen	479 Maize	618 Pearl	725 Sandalwood	724 Sandstone	633 Juniper Grove	088 Canyon Clay	307 Pebble	624 Sage
<b>Sequoia Select Fusion</b>													
Double 5" Dutch Lap*	●	●	●	●						●	●	●	●
Double 6**	●	●	●	●						●	●	●	●
<b>Sequoia Select</b>													
Double 4"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4-1/2" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap*	●	●	●	●	●	●	●	●	●	●	●	●	●
7" Board & Batten*	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Sequoia Select Variegated</b>													
Double 4"													
Double 5"													
Double 5" Dutch Lap													
7" Board & Batten													
<b>Sequoia Extended Length</b>													
Double 4"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Signature Supreme</b>													
Double 4"†	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4" Dutch Lap†	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
8"	●												
<b>Berkshire Beaded</b>													
6-1/2" Beaded	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Centennial Beaded</b>													
6-1/2" Beaded	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Concord</b>													
Double 4"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 5" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●
Triple 3"	●	●	●	●	●	●	●	●	●	●	●	●	●
<b>Aurora II</b>													
Double 4"	●	●	●	●	●	●	●	●	●	●	●	●	●
Double 4-1/2" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●

	Designer Colors*											Variegated Colors									
	631 Storm	840 Wicker	625 Coastal Blue	665 Dark Drift	638 Espresso	637 Harbor Bay	660 Harvest Wheat	642 Iron Ore	652 Midnight Surf	653 Moonlit Moss	639 Mountain Arbor	666 Saddle Brown	120 Venetian Red	651 W. Smoke	646 Aspen	648 Chestnut	644 Earthen	649 Maple	645 Rainforest	647 Willow	
Double 5" Dutch Lap*	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 6**	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 4"	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 5"	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 4-1/2" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 5" Dutch Lap*	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
7" Board & Batten*	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 4"															●	●	●	●	●	●	●
Double 5"															●	●	●	●	●	●	●
Double 5" Dutch Lap															●	●	●	●	●	●	●
7" Board & Batten															●	●	●	●	●	●	●
Double 4"	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 5" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 4"†	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 5"	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 4" Dutch Lap†	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 5" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
8"	●																				
6-1/2" Beaded	●																				
6-1/2" Beaded	●																				
Double 4"	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 5"	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 4" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 5" Dutch Lap	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Triple 3"	●	●	●	●	●	●	●	●	●	●	●	●	●	●							
Double 4"	●	●																			
Double 4-1/2" Dutch Lap	●	●																			

\*Designer colors not available in all markets.  
†Dark Drift and Harvest Wheat not available in all markets.

Designer colors not available in all markets; see your Gentek sales representative for specific color offering in your region.

## SHAKES & SCALLOPS VINYL SOFFIT

	751 Snow White	004 Almond	007 Antique Ivory	150 Dover Gray	449 Linen	479 Maize	618 Pearl	724 Sandstone	088 Canyon Clay	121 Classic Brown	633 Juniper Grove	307 Pebble
<b>Fairhaven Sound Single Select*</b>												
Traditional Shake	●	●	●	●	●	●	●	●	●	●	●	●
Scallop	●	●	●	●	●	●	●	●	●	●	●	●
Cape Cod Shingle	●	●	●	●	●	●	●	●	●	●	●	●
Hand-Split Shake	●	●	●	●	●	●	●	●	●	●	●	●
Traditional Shake Corner Piece	●	●	●	●	●	●	●	●	●	●	●	●
Hand-Split Shake Corner Piece	●	●	●	●	●	●	●	●	●	●	●	●
Starter Strip												
AccuClip												

Need number

	751 Snow White	004 Almond	007 Antique Ivory	150 Dover Gray	449 Linen	479 Maize	000 Musket Brown	618 Pearl	725 Sandalwood	724 Sandstone	088 Canyon Clay	633 Juniper Grove
<b>Soffit &amp; Vertical Siding</b>												
Sequoia Select Ultra-Premium 12"	●	●	●	●	●	●	●	●	●	●	●	●
Oxford Premium 10"	●	●	●	●	●	●	●	●	●	●	●	●
Beaded Premium 8"	●				●				●		●	●
Fairweather 12"	●	●	●	●	●	●	●	●	●	●	●	●

Note: Beaded Premium soffit is not offered as a vertical siding.

## COLOR MATRIX

	Darker Colors															
624 Sage	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
631 Storm	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
840 Wicker	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
625 Coastal Blue	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
665 Dark Drift	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
638 Espresso	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
637 Harbor Bay	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
660 Harvest Wheat	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
642 Iron Ore	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
652 Midnight Surf	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
653 Moonlit Moss	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
639 Mountain Arbor	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
666 Saddle Brown	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
120 Venetian Red	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
651 W. Smoke	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
No Color																●

307 Pebble	●	●	●	●	●	●	●	●	●	●	●	●
624 Sage	●	●	●	●	●	●	●	●	●	●	●	●
631 Storm	●	●	●	●	●	●	●	●	●	●	●	●
840 Wicker	●	●	●	●	●	●	●	●	●	●	●	●



## DEEP-POCKET INSULATED VINYL ACCESSORIES

		751 Snow White	004 Almond	007 Antique Ivory	088 Canyon Clay	150 Dover Gray	633 Juniper Grove	307 Pebble	624 Sage	840 Wicker
Inside Corner Post	15522	●	●	●	●	●	●	●	●	●
4" Outside Corner Post w/ Foam	14518	●	●	●	●	●	●	●	●	●
3-1/2" Win/Door Surround* w/ Foam	15003	●	●			●	●	●		●
1-1/4" J-Channel	14061	●	●	●	●	●	●	●	●	●
Easy Start Starter Strip	K661945									

## COLOR MATRIX

		Designer Colors							
		665 Dark Drift	660 Harvest Wheat	652 Midnight Surf	653 Moonlit Moss	666 Saddle Brown	120 Venetian Red	651 W. Smoke	No Color
		●	●	●	●	●	●	●	
		●	●	●	●	●	●	●	
		●	●	●	●	●	●	●	
									●



## ALUMINUM SIDING, SOFFIT & FASCIA

	004 Almond	007 Antique Ivory	048 Black	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	379 Charcoal	121 Classic Brown	151 Dover Gray	258 Grecian Green	449 Linen	372 London Brown
<b>Cedarwood</b>													
Double 5"													
<b>Woodgrain Series 2000</b>													
Double 4"	●	●		●			●			●			
<b>Deluxe</b>													
Double 4"				●									
8"				●									
<b>Soffit</b>													
Hi-Tensile 12"	●	●	●	●	●	●	●		●	●	●	●	●
Hi-Tensile 16"	●	●		●		●	●	●	●	●	●	●	●
<b>Fascia</b>													
Deluxe 6"	●	●	●	●	●	●	●	●	●	●	●	●	●
Deluxe 8"	●	●	●	●	●	●	●	●	●	●	●	●	●

## COLOR MATRIX

	Variegated Colors												
333 Musket Brown													
R60 Norwood													
307 Pebble													
736 Royal Brown													
624 Sage													
724 Sandstone													
450 Terratone													
794 Thistle													
120 Venetian Red													
840 Wicker													
020 Aspen Gray											●	●	●
107 Chestnut Brown											●	●	●
481 Maple Tan											●	●	●
775 Tawny Oak											●	●	●

## ALUMINUM ACCESSORIES COLOR MATRIX

		004 Almond	007 Antique Ivory	048 Black	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	379 Charcoal	121 Classic Brown	151 Dover Gray	258 Grecian Green	449 Linen
Deluxe Outside Corner Post	0103501				●								
Woodgrain OCP	0103508	●	●		●			●			●		
3/4" J-Channel	0104209	●	●		●			●			●		
Snap-Lock Finish Trim	0108609	●	●		●			●			●		
2-1/2" Starter Strip	0109025												
Cedarwood OCP	0103510												
Cedarwood 3/4" J-Channel	0104219												
Cedarwood Snap-Lock	0108619												
Cedarwood Touch-Up Paint	0199033												
Reverse Frieze Moulding (Poly)	0530002	●	●	●	●	●	●	●	●	●	●	●	●
1/2" Soffit J-Channel (Poly)	0530008	●	●	●	●	●	●	●	●	●	●	●	●
Drip Edge Style D	0530015	●	●		●		●	●		●	●	●	●

		Variegated Colors															
		372 London Brown	333 Musket Brown	R60 Norwood	307 Pebble	736 Royal Brown	624 Sage	724 Sandstone	450 Terratone	794 Thistle	120 Venetian Red	840 Wicker	020 Aspen Gray	107 Chestnut Brown	481 Maple Tan	775 Tawny Oak	No Color
								●				●					
								●				●					
													●	●	●	●	●
													●	●	●	●	
													●	●	●	●	
													●	●	●	●	
		●	●	●	●	●	●	●	●	●	●	●					
		●	●	●	●	●	●	●	●	●	●	●					
		●	●	●	●	●	●	●	●	●	●	●					

# STEEL SIDING & FASCIA COLOR MATRIX

	001 Adobe	004 Almond	007 Antique Ivory	068 Bright White	064 Bronze	418 Brownstone	088 Canyon Clay	465 Chelsea Bluff	265 Chevron Smoke	121 Classic Brown	274 Delray Sand	151 Dover Gray	258 Grecian Green
<b>SteelTek Supreme</b>													
Double 4"	●			●				●	●		●	●	
Double 5"	●			●				●	●		●	●	
8"	●			●				●	●		●	●	
12" Vertical B&B	●			●				●	●		●	●	
<b>SteelTek</b>													
Double 4"		●	●	●		●	●			●		●	
8"		●	●	●		●	●			●		●	
<b>Steelside</b>													
Double 4"		●	●	●		●	●			●		●	
8"		●	●	●		●	●			●		●	
Double 5"		●	●	●		●	●			●		●	
<b>Driftwood</b>													
Double 5"													
<b>Universal</b>													
Double 5" Dutch Lap		●	●	●		●	●			●		●	
12" Vertical Board & Batten		●	●	●		●	●			●		●	
<b>Fascia</b>													
6", 8"		●	●	●	●	●	●			●		●	●

	Variegated Colors																				
	637 Harbor Bay	633 Juniper Grove	449 Linen	372 London Brown	R60 Norwood	307 Pebble	736 Royal Brown	712 Sable	624 Sage	724 Sandstone	268 Taylor Red	450 Terratone	794 Thistle	120 Venetian Red	266 Watermill Blue	840 Wicker	430 Poplar	757 Southern Pecan	432 Sycamore	433 Winter Oak	
<b>SteelTek Supreme</b>																					
Double 4"	●	●						●			●		●		●						
Double 5"	●	●						●			●		●		●						
8"	●	●						●			●		●		●						
12" Vertical B&B	●	●						●			●		●		●						
<b>SteelTek</b>																					
Double 4"				●					●				●	●		●					
8"				●					●				●	●		●					
<b>Steelside</b>																					
Double 4"				●						●			●	●		●					
8"				●						●			●	●		●					
Double 5"				●						●			●	●		●					
<b>Driftwood</b>																					
Double 5"																	●	●	●	●	
<b>Universal</b>																					
Double 5" Dutch Lap				●						●			●	●		●					
12" Vertical Board & Batten				●						●			●	●		●					
<b>Fascia</b>																					
6", 8"		●	●	●	●	●	●		●	●		●	●	●	●						

## STEEL ACCESSORIES & SEAMLESS STEEL COIL

		004 Almond	001 Adobe	007 Antique Ivory	068 Bright White	418 Brownstone	088 Canyon Clay	465 Chelsea Bluff	265 Chevron Smoke
3/4" Outside Corner Post	1813526	●		●	●	●	●		
3/4" J-Channel	1814206	●		●	●	●	●		
Snap-Lock Finish Trim	1815011	●		●	●	●	●		
SteelTek Supreme Universal 3/4" OCP	1813540		●		●			●	●
SteelTek Supreme 1-1/8" J-Channel	1844140		●		●			●	●
SteelTek Supreme 3/4" J-Channel	1814240		●		●			●	●
SteelTek Supreme Snap-Lock Finish Trim	1815040		●		●			●	●
SteelTek Supreme 2 oz. Touch-Up Paint with Brush	0199044		●		●			●	●
SteelTek Supreme 6 oz. Touch-Up Aerosol Paint	0199444		●		●			●	●
2-1/2" Starter Strip	1829020								
3-1/2" Starter Strip	1829025								
Driftwood Snap-Lock	1815015								
Driftwood 3/4" OCP	1823650								
Driftwood 3/4" J-Channel	1824320								

### Seamless Steel Coil with Nynar PVDF

		001 Adobe	068 Bright White	465 Chelsea Bluff	265 Chevron Smoke	274 Delray Sand	151 Dover Gray
SteelTek Supreme 10.625" Seamless Coil (2 rolls/skid)	1890405	●	●	●	●	●	●
SteelTek Supreme 13.250" Seamless Coil (2 rolls/skid)	1890409	●	●	●	●	●	●
SteelTek Supreme 10.625" Seamless Coil (1 roll/skid)	1890415	●	●	●	●	●	●
SteelTek Supreme 13.250" Seamless Coil (1 roll/skid)	1890419	●	●	●	●	●	●

## COLOR MATRIX

		Variegated Colors															
121 Classic Brown	274 Delray Sand	151 Dover Gray	637 Harbor Bay	633 Juniper Grove	660 Norwood	712 Sable	624 Sage	268 Taylor Red	794 Thistle	120 Venetian Red	266 Watermill Blue	840 Wicker	No Color	430 Poplar	757 Southern Pecan	432 Sycamore	433 Winter Oak
●	●	●	●	●	●	●	●	●	●	●	●	●					

637 Harbor Bay	633 Juniper Grove	712 Sable	268 Taylor Red	794 Thistle	266 Watermill Blue
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●
●	●	●	●	●	●

# TRIM COIL COLOR MATRIX

## Solid Color Trim Coil

Aluminum 24"		001 Adobe	004 Almond	007 Antique Ivory	412 Antique Parchment	048 Black	068 Bright White	064 Bronze	066 Brown	418 Brownstone	587 Burgundy	088 Canyon Clay	391 Cape Cod Gray	379 Charcoal	465 Chelsea Bluff	265 Chevron Smoke	121 Classic Brown	095 Dark Charcoal	665 Dark Drift	274 Delray Sand
G8	0710117	●		●	●		●			●			●							
Poly H.D.	0737407						●													
Poly (LoMar)	0737107	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Poly (LoMar)	0735007																			
PVC	0710007	●	●	●	●		●	●	●	●		●	●	●	●	●	●	●	●	●
ValuGard (Poly)	0739010						●													
ValuGard (PVC)	0710010						●													

## Steel

PVC	1870007	●	●	●	●		●	●	●	●		●	●	●	●	●	●	●	●	●
-----	---------	---	---	---	---	--	---	---	---	---	--	---	---	---	---	---	---	---	---	---

## Solid Color Trim Coil (continued)

Aluminum 24"		724 Sandstone	631 Storm	268 Taylor Red	450 Terratone	794 Thistle	120 Venetian Red	R26 Vintage Cream	415 Vintage Wicker	266 Watermill Blue	870 Wedgewood Blue	885 White	840 Wicker	651 W. Smoke
G8	0710117							●	●					
Poly H.D.	0737407													
Poly (LoMar)	0737107	●	●	●	●	●	●	●	●	●	●	●	●	●
Poly (LoMar)	0735007											●		
PVC	0710007	●	●	●	●	●	●	●	●	●	●	●	●	●
ValuGard (Poly)	0739010													
ValuGard (PVC)	0710010													

## Steel

PVC	1870007	●	●	●	●	●	●	●	●	●	●	●	●	●
-----	---------	---	---	---	---	---	---	---	---	---	---	---	---	---

151 Dover Gray																				
223 Forest Green																				
258 Grecian Green																				
637 Harbor Bay																				
660 Harvest Wheat																				
633 Juniper Grove																				
449 Linen																				
372 London Brown																				
479 Maize																				
434 Maple																				
652 Midnight Surf																				
653 Moonlit Moss																				
639 Mountain Arbor																				
333 Musket Brown																				
411 Mystic Blue																				
040 Natural Linen																				
F60 Norwood																				
566 Old World																				
601 Pacific Blue																				
618 Pearl																				
307 Pebble/Natural Clay																				
401 Platinum Gray																				
688 Red																				
736 Royal Brown																				
712 Sable																				
666 Saddle Brown																				
624 Sage																				
725 Sandalwood																				

## Driftwood® Steel Variegated Trim Coil (matches Driftwood steel siding)

Driftwood Steel		430 Poplar	757 Southern Pecan	432 Sycamore	433 Winter Oak
PVC (Fusion)	1871037	●	●	●	●

## Cedarwood® Variegated Trim Coil (matches Cedarwood aluminum siding)

Cedarwood Aluminum 24"		020 Aspen Gray	107 Chestnut Brown	481 Maple Tan	775 Tawny Oak
PVDF (Kynar)	0714007	●	●	●	●

## Trim Coil Matching Exterior Window Colors

Aluminum 24"		378 American Terra	067 Architectural Bronze	277 Camel/A. Window Beige	262 Castle Gray	472 Desert Clay	264 English Red	517 Hudson Khaki	263 Window Forest Green
G8	0710117	●	●	●	●	●	●	●	●
Poly (LoMar)	0737107	●	●	●	●	●	●	●	●
PVC	0710007	●	●	●	●	●	●	●	●

## Trim Coil Identification By Product Code

Aluminum Coil		24" G8	0710117 = Bright White, 1 Side
24" Poly Heavy Duty	0737407 = Bright White Over Bright White		
24" Poly (LoMar)	0737107 = Color Over Bright White		
24" Poly (LoMar)	0735007 = White Over White		
24" PVC	0710007 = Color, 1 Side		
24" ValuGard (Poly)	0739010 = Bright White Over Bright White		
24" ValuGard (PVC)	0710010 = Bright White, 1 Side		
24" Cedarwood (PVDF/Kynar)	0714007 = Variegated Color Over Solid Color		

Steel Coil		22.3" PVC	1870007 = Color, 1 Side
10.3" PVC (Fusion)	1871037 = Color, 1 Side		

## ALUMINUM 24" TRIM COIL COLOR MATRIX

Siding	Poly (LoMar) 0737107	PVC 0710007
<b>Certainteed</b>		
633 CT Cypress	●	●
355 CT Desert Tan	●	●
653 CT Forest	●	●
362 CT Granite Gray	●	●
354 CT Heritage Cream	●	
316 CT Herringbone	●	●
327 CT Ivy Green	●	●
350 CT Light Maple	●	
307 CT Natural Clay	●	●
601 CT Pacific Blue	●	●
712 CT Sable Brown	●	●
724 CT Sandstone Beige	●	●
840 CT Savannah Wicker	●	●
624 CT Seagrass	●	●
068 CT Snow	●	●
639 CT Spruce	●	●
365 CT Sterling Gray	●	
592 CT Terra Cotta	●	●
725 CT Warm Sand	●	●
<b>Exterior Portfolio</b>		
316 C Bone	●	●
307 C Clay	●	●
462 C Country Beige	●	●
470 C Cypress	●	●
591 C Desert	●	●
336 C Driftwood	●	●
329 C Espresso	●	●
651 C Graphite	●	●
362 C Greystone	●	●
471 C Harbor Blue	●	●
326 C Honey Oak	●	●
465 C Ivory	●	●
688 C Lighthouse Red	●	●
725 C Mocha	●	●
592 C Nutmeg	●	●
590 C Olive	●	●
412 C Pearl	●	●
574 C Regatta Blue	●	●
472 C Rye	●	●
475 C Saddle	●	●
652 C Slate	●	●
327 C Stratford Blue	●	●
460 C Wheat	●	●

## COMPETITIVE BRANDS

Siding (continued)	Poly (LoMar) 0737107	PVC 0710007
<b>Mastic</b>		
004 MT Almond	●	●
724 MT Cameo	●	●
479 MT Classic Cream	●	●
001 MT Desert Clay	●	●
333 MT Musket Brown	●	●
307 MT Pebblestone	●	●
618 MT Silver Gray	●	●
336 MT Victorian Gray	●	●
<b>Royal</b>		
329 RC Bark	●	●
412 RC Linen	●	●
652 RC Midnight Surf	●	●
666 RC Natural Cedar	●	●
120 RC Redwood	●	●
326 RC Sable	●	●
001 RC Sand	●	●
653 RC Shamrock	●	●
350 RC Soft Maple	●	
618 RC Sterling	●	●
R26 RC Vintage Cream	●	●
522 RC Walnut	●	

Windows	Poly (LoMar) 0737107
<b>Andersen</b>	
A10 AN Black/AN White	●
A03 AN Canvas/AN White	●
A05 AN Cocoa Bean/AN White	●
A08 AN Dark Bronze/AN White	●
A09 AN Forest Green	●
A11 AN Red Rock/AN White	●
A07 AN Sandstone/AN White	●
A06 AN Terratone/AN White	●
A02 AN White/AN White	●



## GUTTER COIL | COLOR MATRIX

### Gutter Coil

			004 Almond	007 Antique Ivory	048 Black	064 Bronze	418 Brownstone	088 Canyon Clay	121 Classic Brown	151 Dover Gray	258 Grecian Green	449 Linen	372 London Brown
.027 x 11.75	0220015	350 lbs											
.027 x 11.875	0200020	350 lbs											
.027 x 11.875	0220012	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.027 x 15	0220029	350 lbs											
.032 x 11.75	0220035	350 lbs											
.032 x 11.875	0200040	350 lbs											
.032 x 11.875	0220022	200 lbs	●	●	●	●	●	●	●	●	●	●	●
.032 x 15	0220050	350 lbs											

333 Musket Brown	R60 Norwood	307 Pebble	736 Royal Brown	624 Sage	725 Sandalwood	724 Sandstone	450 Terratone	794 Thistle	120 Venetian Red	906 White – Hi-Gloss	905 White – Lo-Gloss	840 Wicker
										●	●	
●	●	●	●	●	●	●	●	●				●
									●	●		
									●	●		
●	●	●	●	●	●	●	●	●				●
									●	●		

**GENTEK VINYL SIDING AND SOFFIT**

Produced to precise tolerances using formulated compounds specifically designed for the plastic building products industry according to ASTM D4216, meeting or exceeding the following:

<b>Property</b>	<b>ASTM Test</b>	<b>Results</b>
<i>Tensile Strength (psi)</i>	<i>D-638</i>	<i>6,700</i>
<i>Modulus of Elasticity (psi)</i>	<i>D-638</i>	<i>410,000</i>
<i>Izod Impact (70°F)</i>	<i>D-256</i>	<i>3.6 (ft-lb/in of notch)</i>
<i>Izod Impact (32°F)</i>	<i>D-256</i>	<i>2.0 (ft-lb/in of notch)</i>
<i>Flexural Strength (psi)</i>	<i>D-790</i>	<i>14,000</i>
<i>Coefficient of Linear Expansion</i>	<i>D-696</i>	<i>5.3 x 10<sup>-5</sup> (mm/mm °C) 2.9 x 10<sup>-5</sup> (in/in °F)</i>
<i>Deflection Temperature Under Load 264 psi (°C)</i>	<i>D-648</i>	<i>73</i>

**PRODUCT PHYSICALS**

All siding products, soffit panels and accessories are made with solid color throughout. The siding products and accessories meet or exceed the ASTM Specification for Rigid Poly Vinyl Chloride (PVC) Siding D3679. All soffit products and associated accessories meet or exceed the ASTM Specification for Rigid (Unplasticized) Poly Vinyl Chloride (PVC) Soffit D4477.

The siding and soffit compound meets Class 2 requirements and conforms to weathering performances as described in ASTM 3679.

Color: Spectrophotometer controlled  
Gloss: Gardner gloss meter controlled  
Lock: Dimensionally controlled

All products meet or exceed ASTM 3679 thickness (nominal) requirements:

<i>Sequoia Select EnFusion</i>	<i>0.046"</i>
<i>Sequoia Select</i>	<i>0.046"</i>
<i>Sequoia Select Variegated</i> <i>(except Board &amp; Batten)</i>	<i>0.046"</i>
<i>Sequoia Select Extended</i>	<i>0.046"</i>
<i>Sequoia Select Board &amp; Batten</i>	<i>0.048"</i>
<i>Berkshire Beaded</i>	<i>0.042"</i>
<i>Centennial Beaded</i>	<i>0.044"</i>
<i>Signature Supreme</i>	<i>0.044"</i>
<i>Concord</i>	<i>0.042"</i>
<i>Aurora II</i>	<i>0.040"</i>
<i>Sequoia Select Ultra-Premium Soffit</i>	<i>0.044"</i>
<i>Oxford Premium Soffit</i>	<i>0.042"</i>
<i>Beaded Premium Soffit</i>	<i>0.042"</i>
<i>Fairweather Soffit</i>	<i>0.040"</i>

**WARRANTY**

All Gentek vinyl siding brands carry a Lifetime Limited Warranty including fade and hail protection. *Warranty is transferable if the home is sold. See printed warranty for complete details.*

**SOFFIT VENTILATION AREA**

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit is as follows:

<i>12" Sequoia Select Hidden Vented</i>	<i>10 sq in</i>
<i>10" Oxford Fully Vented</i>	<i>5.3 sq in</i>
<i>8" Beaded Vented</i>	<i>2.4 sq in</i>
<i>12" Fairweather Center Vented</i>	<i>2.3 sq in</i>
<i>12" Fairweather Fully Vented</i>	<i>7.1 sq in</i>

**FIRE RESISTANCE RATINGS**

Gentek vinyl siding products meet or exceed all building code requirements throughout the United States and Canada. In addition to meeting these code requirements, Gentek vinyl sidings have been fire rated by Underwriters Laboratories (UL) to be used in one-hour rated designed walls U026 and U032 and a two-hour rated wall, U301. UL inspects the manufacture of the vinyl products quarterly to certify that Gentek vinyl products are manufactured consistently. The vinyl products have been tested as follows:

<b>Property</b>	<b>ASTM Test</b>	<b>Results</b>
<i>Average Burn Distance</i>	<i>D-635</i>	<i>20mm</i>
<i>Average Burn Time</i>	<i>D-635</i>	<i>&lt;5 seconds</i>
<i>Flash Ignition Temperature</i>	<i>D-1929</i>	<i>752°F</i>
<i>Self Ignition Temperature</i>	<i>D-1929</i>	<i>860°F</i>
<i>Flame Spread Index</i>	<i>E-84</i>	<i>15</i>
<i>Smoke Developed Index</i>	<i>E-84</i>	<i>&lt;400</i>
<i>Fire Resistance</i>	<i>E-119</i>	<i>1-hour rated* 2-hour rated*</i>

\*See UL Fire Resistance Directory Control No. 1N60. E-119 is equivalent to UL-263 and E-84 is equivalent to UL-723.

**Important fire safety information for the building trades, specifiers, professionals and do-it-yourself installers:**

When rigid vinyl siding is exposed to significant heat or flame, the vinyl will soften, sag, melt, or burn and may thereby expose the material underneath. Care must be exercised when selecting underlay materials because many underlays are made from organics that are combustible. You should ascertain the fire properties of any underlay prior to installation. All building materials should be installed in accordance with local, state and federal building codes and fire regulations.

**WINDLOAD PROPERTIES**

All Gentek siding products are designed to withstand a minimum of 100 mph windloads and are suitable for most areas. The products can be used in areas with higher windloads, but installation procedures, choice of product and building code jurisdiction are important factors to be considered. The windspeed rating (in mph) is calculated using VSI's windspeed calculation guidelines. Additional information is available if required.

**BUILDING CODES**

Gentek vinyl products meet or exceed the following building code specifications:

*ICC-ESR – 1133*  
*CCMC – 06541-L*  
*New York City MEA 132-94-M*  
*FHA/HUD Minimum Property Standards*

### GENTEK SHAKES AND SCALLOPS

Gentek shakes and scallops are produced from a modified (ASTM 5630) outdoor polypropylene copolymer, also known as a reinforced thermoplastic polyolefin (TPO). Produced to precise tolerances using formulated compounds specifically designed for exterior applications, meeting or exceeding the following:

<b>Property</b>	<b>ASTM Test</b>	<b>Results</b>
<i>Tensile Strength @ Yield (psi)</i>	<i>D-638</i>	<i>3,000</i>
<i>Izod Impact (23°C)</i>	<i>D-256</i>	<i>2.5 (ft-lb/in of notch)</i>
<i>Flexural Modulus (psi)</i>	<i>D-790</i>	<i>200,000</i>
<i>Gardner Impact (23°C)</i>	<i>D-5420</i>	<i>180 (in-lb)</i>
<i>Windload</i>	<i>5206</i>	<i>205 mph Traditional Shake 267 mph Scallop 214 mph Cape Cod Shingle 217 mph Hand-Split Shake</i>

### PRODUCT PHYSICALS

The material has a solid color throughout and is UV stabilized. Shakes and scallops are continually tested for weatherability in both light and darker colors.

Material thickness:

- Traditional Shake: 0.085"
- Scallop: 0.085"
- Cape Cod Shingle: 0.075"
- Hand-Split Shake: 0.100"

Color: Spectrophotometer controlled

Traditional Shake

- 7" panel (single course) exposure by 81" exposure
- 26 panels per 100 sq ft coverage
- Panel weight of 3.07 lb
- Natural cedar texture

Scallop

- 6-1/4" panel (single course) exposure by 76" exposure
- 30 panels per 100 sq ft of coverage
- Panel weight of 2.3 lb
- Natural cedar texture

Cape Cod Shingle

- 10" panel (double course) exposure by 65" exposure
- 22 panels per 100 sq ft coverage
- Panel weight of 3.2 lb
- Natural cedar texture

Hand-Split Shake

- 9" panel (single course) exposure by 76.5" exposure
- 22 panels per 100 sq ft of coverage
- Panel weight of 4.1 lb
- Deep cedargrain texture
- Staggered bottom edge

### WARRANTY

Lifetime Limited Transferable Warranty. *See printed warranty for complete details.*

### FIRE SAFETY

When polypropylene material is exposed to considerable heat or flame the polypropylene will soften, melt or burn and may possibly expose the material underneath. Care needs to be taken when selecting underlayment materials because many are made from organic materials that are combustible. Fire properties of underlayment materials must be established prior to their installation. All burning materials should be installed in accordance with local, state (provincial) and federal fire regulations and building codes.

### INSTALLATION

Complete installation instructions for shakes and scallops are available. Please review prior to installation.

**GENTEK ALUMINUM SIDING AND SOFFIT**
**ALUMINUM METAL PROPERTIES**

<i>Alloy or Equivalent</i>	<i>3000 series</i>
<i>Specific Gravity</i>	<i>2.72</i>
<i>Minimum Ultimate Strength (KSI)</i>	<i>25</i>
<i>Minimum Yield (KSI)</i>	<i>22</i>
<i>Minimum Elongation (%)</i>	<i>4</i>
<i>Modulus of Elasticity (KSI)</i>	<i>10,000</i>
<i>Coefficient of Thermal Expansion (in/in °F)</i>	<i>0.0000131</i>
<i>Melting Range (°F)</i>	<i>1175-1210</i>
<i>Thermal Conductivity at 77°F (btu-in/ft<sup>2</sup>-hr-°F)</i>	<i>1190</i>

**COATING PROPERTIES**

Gentek aluminum siding products are manufactured with AA3000 series alloy or equivalent. Both sides of the aluminum sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated aluminum is then coated with one of the following:

**Polyester (Poly) Topcoat:** This thermoset polymer resin is cured at 450°F forming a hard, flexible, mar resistant and weatherable coating. The coating thickness is 0.8 mil.

A corrosion-resistant polymer (i.e., primer) is applied to the pretreated aluminum and then top coated with one of the following polymeric systems:

**Plastisol (PVC) Topcoat:** This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused on the aluminum metal at temperatures of 390°F. The coating is applied either with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

**Fluoropolymer (PVDF<sub>2</sub>):** This thermoplastic polymer has excellent chemical and fade resistance. The coating is applied at 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF<sub>2</sub>. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

**WARRANTY**

All Gentek aluminum siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

**CONTACT WITH DISSIMILAR MATERIALS AND CORROSIVE ENVIRONMENTS**

Direct contact of aluminum products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips. Seacoast or other corrosive environments may result in corrosion of the product.

**PRODUCT PHYSICALS**

<b>Product</b>	<b>Coating Type</b>	<b>Thickness</b>
<i>Cedarwood</i>	<i>PVDF<sub>2</sub></i>	<i>0.024</i>
<i>Woodgrain Series 2000</i>	<i>Poly</i>	<i>0.019</i>
<i>Deluxe 4"</i>	<i>Poly</i>	<i>0.019</i>
<i>Deluxe 8"</i>	<i>Poly</i>	<i>0.024</i>
<i>Hi-Tensile Soffit</i>	<i>Poly</i>	<i>0.016</i>
<i>Deluxe Fascia</i>	<i>Poly</i>	<i>0.024</i>
<i>HD Trim Coil</i>	<i>Poly</i>	<i>0.024</i>
<i>Trim Coil</i>	<i>Poly</i>	<i>0.019</i>
<i>Trim Coil</i>	<i>PVC</i>	<i>0.019</i>

**SOFFIT VENTILATION AREA**

Gentek soffit panels are designed to allow air circulation into the attic areas to aid in the reduction of excessive heat buildup and water vapor condensation. The net free open area (NFOA) per lineal foot of soffit are as follows:

<b>Profile</b>	<b>Vent</b>	<b>NFOA (in<sup>2</sup>/foot)</b>
<i>16" 4 Panel</i>	<i>Center Vent</i>	<i>7.8</i>
<i>12" 3 Panel</i>	<i>Center Vent</i>	<i>3.9</i>
	<i>Full Vent</i>	<i>11.6</i>

**BUILDING CODES**

Gentek aluminum products meet or exceed the following building code specifications:

*ICC-ES Legacy – Report #97-64*

*AAMA 1402-86*

*FHA/HUD Minimum Property Standards*

**GENTEK STEEL SIDING**
**METAL PROPERTIES**

<i>Steel or Equivalent</i>	AZ-50
<i>Specific Gravity</i>	7.8
<i>Minimum Ultimate Strength (KSI)</i>	45-55
<i>Minimum Yield (KSI)</i>	40-50
<i>Minimum Elongation (%)</i>	25-35
<i>Modulus of Elasticity (KSI)</i>	29,500
<i>Coefficient of Thermal Expansion (in/in °F)</i>	0.000006
<i>Melting Range (°F) Steel</i>	>2700
<i>Melting Range (°F) Zinc</i>	786
<i>Thermal Conductivity at 77°F (btu-in/ft<sup>2</sup>-hr-°F)</i>	555

**COATING PROPERTIES**

Gentek steel siding products are manufactured with AZ-50. Both sides of the steel sheet are cleaned with a specially formulated cleaner, water rinsed and then coated with an environmentally safe chemical pretreatment to enhance corrosion protection and coating adhesion.

The pretreated surface is coated with a thermoset corrosion-resistant polymer. This corrosion-resistant polymer is topcoated with the following polymeric systems:

**Plastisol (PVC) Topcoat:** This highly weatherable, flexible, chemical-resistant thermoplastic polymer is melted and fused at temperatures of >390°F. The coating is applied with a striated pattern or smooth finish having an average film thickness of 3.0 mils.

**Fluoropolymer (PVDF<sub>2</sub>):** This thermoplastic polymer has excellent chemical and fade resistance. The coating thickness is 0.9 mil. The system is cured at a minimum temperature of 475°F. This polymer system conforms to the high industry standards of Kynar 500® and Hylar 5000®. The main criteria for these standards is that the paint formulation must contain a minimum of 70% PVDF<sub>2</sub>. Many fluoropolymer coatings on the market do not meet the high quality and performance standards required by Kynar 500 and Hylar 5000 specifications.

**WARRANTY**

All Gentek steel siding brands carry a Lifetime Limited Warranty. *Warranty is transferable if home is sold. See printed warranty for complete details.*

**CONTACT WITH DISSIMILAR MATERIALS**

Direct contact of steel products with certain dissimilar materials, or contact with water runoff from dissimilar materials, is likely to result in corrosion. Accordingly, care should be taken during installation to avoid such contact of steel with dissimilar materials, including: dissimilar metals (copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pretreated lumber, masonry, corrosive non-metallic materials, and roofing materials or roofing systems containing metallic granules or strips.

**PRODUCT PHYSICALS**

<b>Product</b>	<b>Coating Type</b>	<b>Thickness*</b>
<i>SteelTek Supreme</i>	PVDF <sub>2</sub>	0.017
<i>SteelTek Supreme Seamless Steel Coil</i>	Kynar® PVDF	0.017
<i>SteelTek</i>	PVC	0.017
<i>SteelSide</i>	PVC	0.017
<i>Driftwood</i>	PVC	0.017
<i>Universal</i>	PVC	0.017

\*29 Gauge

**BUILDING CODES**

Gentek steel products meet or exceed the following building code specifications:

*ICC-ES Legacy – Report #97-64*

*AAMA 1406-86*

*FHA/HUD Minimum Property Standards*

	Sequoia Select® EnFusion® Insulated Siding 2 profiles / Clapboard, Dutch Lap .046"	Sequoia Select® 5 profiles / Clapboard, Dutch Lap .046" / B&B .048"	Sequoia Select® Extended Length 2 profiles / Clapboard, Dutch Lap .046"	Signature Supreme® 5 profiles / Clapboard, Dutch Lap .044"	Berkshire™ Beaded / Centennial™ Beaded 1 profile / Berkshire .042"; Centennial .044"	Concord® 5 profiles / Clapboard, Dutch Lap, Triple 3 .042"	Aurora™ II 2 profiles / Clapboard, Dutch Lap .040"	Fairhaven Sound® Shakes & Scallops 4 profiles / Traditional Shake, Scallop .085" Cape Cod Shingle .075"; Hand-Split Shake .100"	Sequoia Select® Ultra-Premium Vinyl Soffit 2 profiles / Solid (Vertical Siding); Hidden Vent .044"	
<b>Classic Colors</b>	Snow White									
	Almond									
	Antique Ivory									
	Canyon Clay									
	Classic Brown									
	Dover Gray									
	Juniper Grove									
	Linen									
	Maize									
	Musket Brown									
	Pearl									
	Pebble									
	Sage									
	Sandalwood									
	Sandstone									
	Storm									
	Wicker									
	<b>Designer Colors</b>	Coastal Blue								
		Dark Drift								
Espresso										
Harbor Bay										
Harvest Wheat										
Iron Ore										
Midnight Surf										
Moonlit Moss										
Mountain Arbor										
Saddle Brown										
Venetian Red										
Windswept Smoke										
<b>Variiegated Colors</b>		Aspen								
		Chestnut								
	Earthen									
	Maple									
	Rainforest									
	Willow									

**Note:** Not all profiles are available in all colors or areas of the country. Please see your Gentek Sales Representative for specific offering.

gentekinc.com



P.O. Box 110 • Akron, Ohio 44309  
gentekinc.com

*Make us a part of your home.*



Due to product changes, improvements and other factors, Gentek reserves the right to change or delete information contained herein without prior notice. Kynar is a registered trademark of Arkema Inc. Galvalume is a registered trademark of BIEC International Inc. HYLAR 5000 is a registered trademark of Ausimont USA, Inc. USGBC and related logo is a trademark owned by the U.S. Green Building Council and is used by permission.

Effective Date: September 2017

9831-371/9-17/00M AGS

© 2017, Gentek Building Products, Inc.

Printed in the U.S.A. Please recycle.

